


SÁEZ cranes

STC 8033 16T / 20T







ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - советоваться

CE

LLOYD'S REGISTER LRQA ISO 9001

SAEZ i+D+I | S-LINK S.D.S. | EKO+ POWER CONTROL | REMOTE ASSISTANCE 24 | ZONING | ANTICOLLISION | OPERATOR ACCESS

SÁEZ cranes STC 8033 20T

Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - - График грузоподъёмности

80 m

SL	15	20	25	33,0	35	40	45	50	55	60	65	70	75	80
	10000	10000	10000	10000	9350	7985	6930	6095	5410	4845	4370	3960	3610	3300
	15	20	25	30,8	35	40	45	50	55	60	65	70	75	80
	10000	10000	10000	10000	8650	7400	6420	5640	5000	4460	4100	3620	3300	3000
	16,2	20	25	30	35	40	45	50	55	60	65	70	75	80
	20000	15900	12380	10000	8350	7100	6120	5340	4700	4160	3710	3320	3000	2700
	16,8	20	25	30	35	40	45	50	55	60	65	70	75	80
SL	20000	16400	12380	10000	8580	7315	6340	5560	4930	4405	3960	3585	3255	2970

m / Kg / m / Kg

75 m

SL	15	20	25	30	39,0	40	45	50	55	60	65	70	75
	10000	10000	10000	10000	10000	9700	8450	7460	6650	5980	5410	4930	4510
	15	20	25	30	36,1	40	45	50	55	60	65	70	75
	10000	10000	10000	10000	10000	8910	7760	6850	6100	5470	4940	4490	4100
	19,0	20	25	30	35	40	45	50	55	60	65	70	75
	20000	18900	14800	12050	10080	8610	7460	6550	5800	5170	4640	4190	3800
	15	20,0	25	30	35	40	45	50	55	60	65	70	75
SL	20000	20000	15565	12650	10595	9070	7895	6960	6195	5565	5030	4575	4180

m / Kg / m / Kg / m / Kg / m / Kg

70 m

SL	15	20	25	30	35	43,8	45	50	55	60	65	70
	10000	10000	10000	10000	10000	10000	9695	8575	7660	6905	6265	5720
	15	20	25	30	35	40,5	45	50	55	60	65	70
	10000	10000	10000	10000	10000	10000	8860	7840	7000	6300	5700	5200
	15	21,3	25	30	35	40	45	50	55	60	65	70
	20000	20000	16780	13700	11500	9850	8560	7540	6700	6000	5400	4900
	15	22,7	25	30	35	40	45	50	55	60	65	70
SL	20000	20000	17945	14610	12265	10525	9180	8110	7240	6520	5910	5390

m / Kg / m / Kg / m / Kg / m / Kg

65 m

SL	15	20	25	30	35	40	47,0	50	55	60	65
	10000	10000	10000	10000	10000	10000	10000	9300	8320	7505	6820
	15	20	25	30	35	43,3	45	50	55	60	65
	10000	10000	10000	10000	10000	10000	9570	8480	7580	6830	6200
	15	23,7	25	30	35	40	45	50	55	60	65
	20000	20000	18600	14760	12410	10650	9270	8180	7280	6530	5900
	15	24,4	25	30	35	40	45	50	55	60	65
SL	20000	20000	19470	15880	13350	11470	10020	8865	7930	7150	6490

m / Kg / m / Kg / m / Kg / m / Kg

60 m

SL	15	20	25	30	35	40	49,1	50	55	60
	10000	10000	10000	10000	10000	10000	10000	9795	8770	7920
	15	20	25	30	35	40	45,2	50	55	60
	10000	10000	10000	10000	10000	10000	10000	8920	7980	7200
	15	23,7	25	30	35	40	45	50	55	60
	20000	20000	18940	15500	13040	11200	9760	8620	7680	6900
	15	20	25,6	30	35	40	45	50	55	60
SL	20000	20000	20000	16785	14120	12140	10615	9400	8410	7590

m / Kg / m / Kg / m / Kg / m / Kg

55 m

SL	15	20	25	30	35	40	49,3	50	55
	10000	10000	10000	10000	10000	10000	10000	9830	8800
	15	20	25	30	35	40	45,3	50	55
	10000	10000	10000	10000	10000	10000	10000	8900	8000
	15	20	23,8	30	35	40	45	50	55
	20000	20000	20000	15530	13070	11220	9780	8640	7700
	15	20	25,8	30	35	40	45	50	55
SL	20000	20000	20000	16895	14215	12225	10685	9465	8470

m / Kg / m / Kg / m / Kg / m / Kg

50 m

SL	15	20	25	30	35	40	49,6	50
	10000	10000	10000	10000	10000	10000	10000	9900
	15	20	25	30	35	40	45,6	50
	10000	10000	10000	10000	10000	10000	10000	9000
	15	23,9	25	30	35	40	45	50
	20000	20000	19100	15630	13150	11300	9850	8700
	15	20	26,0	30	35	40	45	50
SL	20000	20000	20000	17070	14365	12355	10805	9570

m / Kg / m / Kg / m / Kg / m / Kg

SL-SUPERLIFT Otras velocidades y características de funcionamiento - Variant speeds and service conditions - Abweichende Geschwindigkeiten und Betriebsbedingungen - Vitesses et conditions de fonctionnement différentes - Differenti velocità e condizioni di funzionamento - Нестандартные скорости и условия эксплуатации

Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - - График грузоподъёмности

45 m

SL	15	20	25	30	35	40	45	m
	10000	10000	10000	10000	10000	10000	10000	Kg
	15	20	25	30	35	40	45	m
	10000	10000	10000	10000	10000	10000	10000	Kg
	15	24,3	25	30	35	40	45	m
	20000	20000	19360	15850	13340	11460	10000	Kg
	15	20	26,4	30	35	40	45	m
SL	20000	20000	20000	17370	14620	12575	11000	Kg

40 m

SL	15	20	25	30	35	40	m
	10000	10000	10000	10000	10000	10000	Kg
	15	20	25	30	35	40	m
	10000	10000	10000	10000	10000	10000	Kg
	15	24,7	25	30	35	40	m
	20000	20000	19740	16160	13610	11700	Kg
	15	20	27,0	30	35	40	m
SL	20000	20000	20000	17765	14955	12870	Kg

35 m

SL	15	20	25	30	35	m
	10000	10000	10000	10000	10000	Kg
	15	20	25	30	35	m
	10000	10000	10000	10000	10000	Kg
	15	24,8	25	30	35	m
	20000	20000	19860	16260	13700	Kg
	15	20	27,2	30	35	m
SL	20000	20000	20000	17900	15070	Kg

30 m

SL	15	20	25	30	m
	10000	10000	10000	10000	Kg
	15	20	25	30	m
	10000	10000	10000	10000	Kg
	15	24,4	25	30	m
	20000	20000	19540	16000	Kg
	15	20	26,7	30	m
SL	20000	20000	20000	17600	Kg

SL-SUPERLIFT Otras velocidades y características de funcionamiento - Variant speeds and service conditions - Abweichende Geschwindigkeiten und Betriebsbedingungen - Vitesses et conditions de fonctionnement différentes - Differenti velocità e condizioni di funzionamento - Нестандартные скорости и условия эксплуатации

SÁEZ cranes STC 8033 16T

Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - - График грузоподъёмности

80 m

SL	15	20	25	30	39,9	40	45	50	55	60	65	70	75	80
	8000	8000	8000	8000	8000	7985	6930	6095	5410	4845	4370	3960	3610	3300
	15	20	25	30	37,4	40	45	50	55	60	65	70	75	80
	8000	8000	8000	8000	8000	7400	6420	5640	5000	4460	4100	3620	3300	3000
	19,8	20	25	30	35	40	45	50	55	60	65	70	75	80
	16000	15900	12380	10000	8350	7100	6120	5340	4700	4160	3710	3320	3000	2700
	20	20,4	25	30	35	40	45	50	55	60	65	70	75	80
SL	16000	16000	12380	10000	8350	7100	6120	5340	4700	4160	3960	3585	3255	2970

m / Kg / m / Kg / m / Kg

75 m

SL	15	20	25	30	35	40	47,1	50	55	60	65	70	75
	8000	8000	8000	8000	8000	8000	8000	7460	6650	5980	5410	4930	4510
	15	20	25	30	35	43,8	45	55	55	60	65	70	75
	8000	8000	8000	8000	8000	8000	7760	6850	6100	5470	4940	4490	4100
	15	19,0	25	30	35	40	45	50	55	60	65	70	75
	16000	16000	14800	12050	10080	8610	7460	6550	5800	5170	4640	4190	3800
	15	24,4	25	30	35	40	45	50	55	60	65	70	75
SL	16000	16000	15565	12650	10595	9070	7895	6960	6195	5565	5030	4575	4180

m / Kg / m / Kg / m / Kg / m / Kg

70 m

SL	15	20	25	30	35	40	45	53,0	55	60	65	70
	8000	8000	8000	8000	8000	8000	8000	8000	7660	6905	6265	5720
	15	20	25	30	35	40	49,1	50	55	60	65	70
	8000	8000	8000	8000	8000	8000	8000	7840	7000	6300	5700	5200
	15	20	26,1	30	35	40	45	50	55	60	65	70
	16000	16000	16000	13700	11500	9850	8560	7540	6700	6000	5400	4900
	15	20	29,1	30	35	40	45	50	55	60	65	70
SL	16000	16000	15465	12995	11160	9745	8620	7705	6945	6300	5910	5390

m / Kg / m / Kg / m / Kg / m / Kg

65 m

SL	15	20	25	30	35	40	45	50	56,9	60	65
	8000	8000	8000	8000	8000	8000	8000	8000	8000	7505	6820
	15	20	25	30	35	40	45	52,5	55	60	65
	8000	8000	8000	8000	8000	8000	8000	8000	7580	6830	6200
	15	20	27,9	30	35	40	45	50	55	60	65
	16000	16000	16000	14760	12410	10650	9270	8180	7280	6530	5900
	15	20	29,8	30	35	40	45	50	55	60	65
SL	16000	16000	16000	15880	13350	11470	10020	8865	7925	7145	6490

m / Kg / m / Kg / m / Kg / m / Kg

60 m

SL	15	20	25	30	35	40	45	50	59,5	60	
	8000	8000	8000	8000	8000	8000	8000	8000	8000	7920	
	15	20	25	30	35	40	45	54,8	55	60	
	8000	8000	8000	8000	8000	8000	8000	8000	7980	7200	
	15	20	29,1	30	35	40	45	50	55	60	
	16000	16000	16000	15500	13040	11200	9760	8620	7680	6900	
	15	20	25	31,3	35	40	45	50	55	60	
SL	16000	16000	16000	16000	14120	12140	10615	9400	8410	7590	

m / Kg / m / Kg / m / Kg / m / Kg

55 m

SL	15	20	25	30	35	40	45	50	55	
	8000	8000	8000	8000	8000	8000	8000	8000	8000	
	15	20	25	30	35	40	45	50	55	
	8000	8000	8000	8000	8000	8000	8000	8000	8000	
	15	20	29,2	30	35	40	45	50	55	
	16000	16000	16000	15530	13070	11220	9780	8640	7700	
	15	20	25	31,5	35	40	45	50	55	
SL	16000	16000	16000	16000	14215	12225	10685	9465	8470	

m / Kg / m / Kg / m / Kg / m / Kg

50 m

SL	15	20	25	30	35	40	45	50
	8000	8000	8000	8000	8000	8000	8000	8000
	15	20	25	30	35	40	45	50
	8000	8000	8000	8000	8000	8000	8000	8000
	15	20	29,3	30	35	40	45	50
	16000	16000	16000	15630	13150	11300	9850	8700
	15	20	25	31,8	35	40	45	50
SL	16000	16000	16000	16000	14365	12355	10805	9570

m / Kg / m / Kg / m / Kg / m / Kg

SL-SUPERLIFT Otras velocidades y características de funcionamiento - Variant speeds and service conditions - Abweichende Geschwindigkeiten und Betriebsbedingungen - Vitesses et conditions de fonctionnement différentes - Differenti velocità e condizioni di funzionamento - Нестандартные скорости и условия эксплуатации

Curvas de cargas - Load diagrams - Lastkurven - Courbes de charges - Curve di carico - - График грузоподъёмности

45 m

SL	15	20	25	30	35	40	45	m
	8000	8000	8000	8000	8000	8000	8000	Kg
	15	20	25	30	35	40	45	m
	8000	8000	8000	8000	8000	8000	8000	Kg
	15	20	29,3	30	35	40	45	m
	16000	16000	16000	15850	13340	11460	10000	Kg
	15	20	25	31,3	35	40	45	m
SL	16000	16000	16000	16000	14250	12415	11000	Kg

40 m

SL	15	20	25	30	35	40	m
	8000	8000	8000	8000	8000	8000	Kg
	15	20	25	30	35	40	m
	8000	8000	8000	8000	8000	8000	Kg
	15	20	25	30,3	35	40	m
	16000	16000	16000	16000	13610	11700	Kg
	15	20	25	32,9	35	40	m
SL	16000	16000	16000	16000	14955	12870	Kg

35 m

SL	15	20	25	30	35	m
	8000	8000	8000	8000	8000	Kg
	15	20	25	30	35	m
	8000	8000	8000	8000	8000	Kg
	15	20	25	30,4	35	m
	16000	16000	16000	16000	13700	Kg
	15	20	25	33,2	35	m
SL	16000	16000	16000	16000	15070	Kg

30 m

SL	15	20	25	30	m
	8000	8000	8000	8000	Kg
	15	20	25	30	m
	8000	8000	8000	8000	Kg
	15	20	25	30	m
	16000	16000	16000	16000	Kg
	15	20	25	30	m
SL	16000	16000	16000	16000	Kg

SL-SUPERLIFT Otras velocidades y características de funcionamiento - Variant speeds and service conditions - Abweichende Geschwindigkeiten und Betriebsbedingungen - Vitesses et conditions de fonctionnement différentes - Differenti velocità e condizioni di funzionamento - Нестандартные скорости и условия эксплуатации

SÁEZ cranes STC 8033 16T / 20T

Mecanismos - Mechanisms - Antriebe - Mécanismes - Meccanismi - Приводы

STC 8033 20T

75Hp (55kW)-INV-5V
400V-50/60HZ
HUH 140m S/R Ø16
*HUH 240m S/R Ø16 D-Max

		m/min	0 – 15	0 – 30	0 – 35	0 – 64	0 – 140	0 – 7,5	0 – 15	0 – 17,5	0 – 32	0 – 70
	280m	Kg	10000	10000	8000	4000	1000	20000	20000	16000	8000	2000
		kW	55	55	55	55	55	55	55	55	55	55

120Hp (90kW)-INV-5V
400V / 480V - 50/60HZ
HUH 340m S/R Ø20 D-Max

		m/min	0 – 7	0 – 40	0 – 76	0 – 120	0 – 140	0 – 4	0 – 20	0 – 38	0 – 60	0 – 80
	980 m	Kg	10000	10000	10000	3000	1500	20000	20000	12000	6000	3000
		kW	90	90	90	90	90	90	90	90	90	90

	m/min	0 - 85		
	kW	11		
	r.p.m.	0,3	0,6	0,7
	kW	3 x 7,5		
	m/min	0 / 24		
	kW	2 x 5,2		

STC 8033 16T

102Hp (75kW)-INV-5V
400V/480V- 50/60HZ
HUH 125m D/R Ø20
HUH 250m S/R Ø20

		m/min	0 – 15	0 – 40	0 – 85	0 – 120	0 – 7,5	0 – 20	0 – 42	0 – 60		
	550 m	Kg	8000	8000	2500	1600	16000	16000	5000	3200		
		kW	75	75	75	75	75	75	75	75		

	m/min	10 / 40 / 100		
	kW	11		
	r.p.m.	0,3	0,6	0,9
	kW	3 x 7,5		
	m/min	12 / 24 - 30		
	kW	4 x 5,5 kW		

* Opcional / Optional / Optionale
Elevación / Hoisting / Heben / Levage / Sollevamento
Distribución / Trolleying / Katzfahren / Distribution / Ditribuzione
Orientación / Slewing / Schwenken / Orientation / Rotazione
Traslacion / Travelling / Schienenfahren / Translation / Traslazione
Cable / Rope / Seil / Câble / Fune

75Hp (55kW) - INV

2000/14/CEE 2005/88/CEE	2006/95 /CEE	400V 50Hz Imax.= 187A Fuse = 224A	TOTAL POWER 109 KVA	GENERATOR 200 KVA	100m 4x50mm2	150m 4x70mm2	200m 4x120mm2
		*480V 60Hz Imax.= 175A Fuse = 175A					

120Hp (90kW) - INV

2000/14/CEE 2005/88/CEE	2006/95 /CEE	400V 50Hz Imax.= 260A Fuse = 300A	TOTAL POWER 134 KVA	GENERATOR 280 KVA	100m 4x70mm2	150m 4x95mm2	200m 4x120mm2
		*480V 60Hz Imax.= 192A Fuse = 250A					

102Hp (75kW) - INV


2000/14/CEE 2005/88/CEE	2006/95 /CEE	400V 50Hz Imax.= 260A Fuse = 300A	TOTAL POWER 134 KVA	GENERATOR 280 KVA	100m 4x70mm2	150m 4x95mm2	200m 4x120mm2
		*480V 60Hz Imax.= 192A Fuse = 250A					


Green power (i)
IND. 5.0 (i)


(i) Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage


Mástil / Masts / Maste / Mat / Torre / Torre / Комплектация башни

C25 / D25










								U		ZZR
C25	H (m)	24,9	30,9	42,9	54,9	60,9	66,9	72,9	78,9	96,9
	M (T·m)	385,5	438,4	568	735,6	836,9	1011,4	1195,5	1427,5	2227,9
	T (t)	7,5	8,4	10,3	12,4	13,3	22,7	25	27	34,1
	P (t)	91,7	97,2	108,2	124,5	130	126,2	134	139	162,1
	R_1(t)	110	126,9	166,8	222,3	256,1	317,2	378,8	457,6	728
	R_2(t)	-155,9	-175,5	-222,9	-284,8	-321,1	-380,4	-445,8	-527,1	-809

							U		ZZR	
D25	H (m)	24,9	30,9	42,9	54,9	60,9	-	-	84,9	-
	M (T·m)	361,7	411	532,5	804,3	1010	-	-	2209	-
	T (t)	7	8	9,9	23,8	26,1	-	-	38,8	-
	P (t)	89	94,5	1005,5	113,7	118,7	-	-	150,5	-
	R_1(t)	102,5	118,1	157,2	248,9	318,7	-	-	724,3	-
	R_2(t)	-147	-165,4	-210	-305,9	-378,1	-	-	-799,3	-

SÁEZ cranes STC 8033 16T / 20T

Bloque lastre de base - Base ballast block - Grundballastblöcke - Bloc de lest de base - Blocco di zavora alla base - Балласты опорной рамы

(A/B)




C60R-U

85m

C25		
	H (m)	60,0 m
	R1 (t)	202 t
	Z (t)	176 t

(B)




C80R-U

85m

C25		
	H (m)	73,3 m
	R1 (t)	226,8 t
	Z (t)	150 t

(B)




C80ZRB

85m

C25		
	H (m)	83,0 m
	R1 (t)	256 t
	Z (t)	200 t

(B)




C100ZRRB

85m

C25		
	H (m)	90,0 m
	R1 (t)	227 t
	Z (t)	180 t

Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана

TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN / GRUE ANDRÉE / GRU ANCORATA




ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage - Другие высоты подъема и наращивание крана по запросу

SÁEZ cranes STC 8033 16T / 20T


Proceso de trepado - Climbing - Kletterkrane - Telescopable - Sopralzo idraulico - Процесс наращивания крана

TREPADO EXTERNO / EXTERNAL CLIMBING / GEANKERTER KRAN /
GRUE ANDRÉE / GRU ANCORATA / ВОСХОЖДЕНИЕ ЭКСТЕРНО




A max. (m)	45
B min/max. (m)	24 / 42
C min/max. (m)	30 / 60
H max. (m)	ⓘ

TREPADO INTERNO / BOTTOM CLIMBING CRANE / KLETTERKRANE IM GEBÄUDE / TÉLESCOPAGE SUR DALLES /
GRU CLIMBING / ВНУТРЕННИЙ ПРОЦЕСС ТЕЛЕСКОПИРОВАНИЯ



	S 23 22			
A mix. (m)	2	2	2	2
B min. (m)	10	12	14	16
H max. (m)	36	44	50	54
X (m)	3			
Y (m)	2,5			



"Y" S20 = H20











	C (m)	H (m)
30/40m	10	42
	13	48
	16	54
45/55m	10	36
	13	42
	16	48
80m	10	30
	13	36
	16	42

X (m)	2,7
Y (m)	2,21

ⓘ Consultarnos - Consultateci - Consult us - Nous consulter - Auf anfrage -
Другие высоты подъема и наращивание крана по запросу

Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transporte - dimensioni e trasporti - Размеры и транспорта












UPPER PART STC 8033 20T

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
G80E-002	Counterjib 1		10,38	1,40	2,46	5550
	Counterjib 2		3,35	1,47	0,58	950
	Counterjib 3		11,90	1,53	0,69	3150
	Jib Trolley		1,87	2,16	0,91	465
	Hoist Block		1,19	0,28	2,57	595
	Jib 1		10,38	1,47	2,69	5065
	Jib 2		10,39	1,40	2,52	3470
	Jib 3		10,33	1,40	2,47	2815
	Jib 4		10,29	1,40	2,41	2250
	Jib 6		10,21	1,40	1,89	1190
	Jib end		0,81	1,40	0,55	120
	Slewing unit		2,65	2,98	2,29	8665
EQE80202-01	Hoist winch 75HP(55kW) INV D-Max Ø16		2,60	1,90	1,11	2820
EQEE7530-001	Hoist winch 120HP (90kW) INV Ø20		3,32	2,18	1,74	5320
AGT-231	Electrical Panel 3745		2,30	1,60	1,80	770


SÁEZ cranes STC 8033 16T

Dimensiones y transporte - dimensions and transport - Abmessungen und Transport - dimensions et des transporte - dimensioni e trasporti - Размеры и транспорта







UPPER PART STC 8033 16T

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
G80E-002	Counterjib 1		10,38	1,40	2,46	5550
	Counterjib 2		3,35	1,47	0,58	950
	Counterjib 3		11,90	1,53	0,69	3150
	Jib Trolley		1,87	2,16	0,91	465
	Hoist Block		1,19	0,28	2,57	595
	Jib 1		10,38	1,47	2,69	5065
	Jib 2		10,39	1,40	2,52	3470
	Jib 3		10,33	1,40	2,47	2815
	Jib 4		10,29	1,40	2,41	2250
	Jib 6		10,21	1,40	1,89	1190
	Jib end		0,81	1,40	0,55	120
	Slewing unit		2,65	2,98	2,29	8665
EQEE7527-001 Electrical Pan. Excl.	Hoist winch 102HP(75kW) INV Ø20		2,70	1,82	1,42	2800
AGT-231	Electrical Panel 3745		2,30	1,60	1,80	770







UPPER PART STC 8033

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
AGT-235 AGT-209 AGT-171	Cabin EKO Cabin STANDARD Cabin DELUXE		2,50	1,45	2,11	1015
AGT-180	Cabin support		2,60	2,25	2,11	400
AGT-181	Slewing balcony		2,46	1,55	0,73	254






UPPER PART STC 8033 16T / 20T

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
P80E-002	Jib 80,0m					
	Jib 5		5,28	1,40	2,38	1030
	Jib 7		5,21	1,40	1,78	690
	Jib 8		5,20	1,40	1,77	550
	Jib 9		10,15	1,40	1,75	1030
	Jib 10		5,14	1,40	1,71	325








AIR COUNTERWEIGHT STC 8033 16T / 20T

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
LM0E-45 Unfilled Air Ballast Frame Kit	Air ballast type A		3,40	1,05	0,35	150
	Air ballast type B		2,83	1,05	0,35	130
	Air ballast type C		1,14	1,05	0,35	110
LM0E-46 Concrete Filled Air Ballast Frame Kit	Air ballast type A		3,40	1,05	0,35	3000
	Air ballast type B		2,83	1,05	0,35	2500
	Air ballast type C		1,14	1,05	0,35	1000










FOUNDATION ANCHOR

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
TEM-07	S75R/16/22 M45		0,54	0,54	2,00	350 (x4)
TEM-08	S75R/16/26 M52		0,54	0,54	2,40	525 (x4)
TEM-10	S75R/24/30 M52		0,54	0,54	3,00	900 (x4)
TEM-22	S75R/32/30 M52		0,54	0,54	3,00	925 (x4)
TEM-20	DIMA Type T / U / Z		2,60	2,60	1,00	2500



TOWER SECTION

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(Kg)
TTM-37 TTM-29 TTM-28	Type T (S23)		11,80 6,00 3,00	2,27 2,27 2,27	2,29 2,29 2,29	9000 4780 2750
TTM-38 TTM-31 TTM-30	Type U (S23)		11,80 6,00 3,00	2,31 2,31 2,31	2,34 2,34 2,34	11180 6200 3200
TTM-91 TTM-32	Type Z (S23)		11,80 6,00	2,36 2,36	2,61 2,61	15064 7825
TTM-92 TTM-33	Type ZR (S23)		11,80 6,00	2,36 2,36	2,61 2,61	15200 7925
TTM-71 TTM-41	Type ZZR (S23)		11,80 6,00	2,36 2,36	2,61 2,61	15325 8200
TTM-77 TTM-42	Type ZRR (S23)		11,80 6,00	2,36 2,36	2,61 2,61	15530 8405
TTM-112 TTM-151	Type ZRR-R (S23)		11,80 6,00	2,36 2,36	2,61 2,61	18500 10250





CROSSBASES

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(Kg)
BA0-17	C60R-U		9,01	1,94	1,35	13500
BA0-18	C80R-U		11,80	1,94	1,35	17200
BA0-38	C80ZRB		11,80	1,94	1,35	17840
BA0-23	C100ZRRB		14,64 BEAM 1 BEAM 2	2,03	2,95	33600 17500 16100
LB0-07	Base counterweight		4,50	0,51	0,90	5000
LB0-06	Base counterweight		5,80	0,40	1,50	8000
LB0-23	Base counterweight		8,30	0,70	0,70	10000
LB0-08	Base support block		2,00	0,50	2,00	5000
BAN-05	Levellers (C45R/C60R/C80R)		1,20	1,20	0,65	250 (x4)
BAN-07	Levellers (C100ZRRB)		1,70	1,70	1,02	734 (x4)





TRAVELLING

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(Kg)
BAB-06	Bogies translation D4MR45		2,94	1,25	0,97	3102 (x4)
BAE-05	Electric cable reel D70 (50/100m)					
BAE-06	Electric cable reel D90 (50/100m)					
-	Rail		L1= 0,14 L2= 0,07		0,16	54Kg/mt

EXTERNAL CLIMBING

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(Kg)
JTE-08	Climbing cage Type S23 Full Steel frame		11,60	3,20	3,30	13500 9550
JEH-07	External hydraulic system S23					
JMA-08	External climbing tie (S23)		3,52	3,49	0,42	3900
JTE-07	Climbing cage Type Y20 Full Steel frame		9,80	2,90	2,90	8500 6000
JEH-06	External hydraulic system Y20					
JMA-06	External climbing tie (Y20)		3,52	3,49	0,42	1890
JTL-13	Adaption section S23/Y		2,30	2,34	0,76	4100
JTT-09	Climbing tower section Type Y (S20)		4,15	1,95	1,95	3020
JTT-10	Climbing tower section Type YR (S20R)		10,30	1,95	1,95	7065

INTERNAL LADDER CLIMBING

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
JTI-05	Internal climbing S23 Type A		6,00	2,27	2,29	4854
JTI-06	Internal climbing S23 Type B		6,00	2,27	2,29	4850
JEH-11	Internal H. System S23					3081
JMA-12	Internal climbing tie S23		3,20	2,80	0,60	4720
JTI-24	Internal climbing S20 'Y' H20		7,90	2,00	2,00	10530
			4,00	3,24	0,82	3100

9 x 40' HC - HUH 36 m



x 8 - HUH 36 m



ELECTRICAL HOSE & STEEL WIRE ROPE

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(Kg)
ZZZM-05	+m. extra electrical		1,0			-
ZZZC-08	+m. additional HUH hoisting wire Ø16		1,0			-
ZZZC-10	+m. additional HUH hoisting wire Ø20		1,0			-

ACCESORIES

CODE	ELEMENT		L(m)	W(m)	H(m)	Weight(kg)
AGT-93	Remote with screen					
AGT-95	Extra heating					
AGT-108	150 Amp slip-ring					
AGT-164	Automatic greasing device					
AGT-199	Zonning system					
AGT-23	Anticolision system					
AGT-162	HVAC system 50° 75CV					
AGT-26	Winter kit -1°					
**	Corporate paint / Branding					
AGT-171	De Luxe cabin					
AGT-17	Push button control 1.5m					
AGT-39	Derrick auxiliar with motor					
AGT-38	Auxiliary derrick w/o motor					
AGT-31	Air conditioner 60Hz					
AGT-191	Air conditioner 50Hz					
AGT-28	Winter kit -20°					

ESPECIFICACIONES SUJETAS A MODIFICACIONES SIN PREVIO AVISO / Specifications subject to modification without prior notice / Änderungen der spezifikationen ohne vorankündigung vorbehalten/ Specifications susceptibles de modification sans avis préalable / Specifiche suscettibili di variazioni senza preavviso.